

Driving Test Criteria



For additional information, watch our videos available at **www.dmv.ca.gov**.

OLLYWOO

DL 955 (REV. 10/2017) WWW

Table of Contents

Introduction	1
How to Prepare for a Driving Test	2
Pre-Drive Checklist (Safety Criteria)	3
Driving Performance Evaluation (DPE) Scoring Criteria	7
DMV Driving Tests	27
Additional Testing Elements for the SDPE	29
Appendix	34
Driving Performance Evaluation Score Sheet Sample Supplemental/Area Driving Performance Evaluation	
Score Sheet Sample	35



Introduction



This handbook is designed to give you detailed descriptions of the driving test criteria that Department of Motor Vehicles (DMV) examiners utilize when giving a driving test. The driving test is not designed to trick you and the examiner will not ask you to do anything illegal or unsafe. The examiner only gives you directions on what to do. It is your responsibility to complete the requested action when safe to do so. This driving test criteria is the uniform standard by which the driving skills of all driver license (DL) applicants are evaluated. See pages 34 and 35 for the Driving Performance Evaluation Score Sheet sample and Supplemental/Area Driving Performance Score Sheet sample to follow along with this handbook.

How to Prepare for a Driving Test



If you are required to take a driving test, you may be wondering how you can prepare to pass your test.

The following information can help ensure a successful driving test.

Review DMV Information

This handbook and the following publications are available online at **www.dmv.ca.gov**, by calling 1-800-777-0133, and at any DMV field office.

- **Preparing for Your Driving Test (FFDL 22) Fast Facts** This brochure covers what to bring and expect during the driving test.
- *California Driver Handbook*—This handbook provides valuable information on general driving skills and rules of the road.
- *California Parent-Teen Training Guide*—This guide was developed for parents and teen drivers. Reviewing the guide provides an overview of the skills needed for a teen to pass the driving test.
- Senior Guide for Safe Driving—A wide-ranging guide addressing the needs and concerns of seniors.

Pre-Drive Checklist (Safety Criteria)



Before you begin your driving test, the DMV examiner will ask you to locate and/or demonstrate the following vehicle and driver safety items. If an item listed in the Pre-Drive Checklist (Items 1–8 or 15–17) on your vehicle does not pass the criteria requirement (known as a "mechanical failure"), your driving test will be rescheduled.

NOTE: If you cannot locate and/or demonstrate the operation of 4 or more items from Items 9–14, your driving test will be counted as "unsatisfactory" (failure).

Interpreters may be used during the pre-drive inspection for the identification and use of certain controls in the vehicle, but may not accompany you during the driving test.

Only the examiner is allowed to accompany you during the driving test. Exceptions are made for training, service animals, and certain law enforcement situations.

The requirements for each Pre-Drive Checklist item (Safety Criteria) are as follows:

	ltem	Requirement
1.	Driver window	The window on the driver side must open. You will be asked to open the window if the window is closed.
2.	Windshield	The windshield must provide a full unobstructed field of view for you and the examiner.
3.	Rear-view mirrors	The vehicle must have at least 2 mirrors.
		• 1 must be located outside on the left side of the vehicle.
		• The other mirror may be located inside in the center or outside on the right side of the vehicle.
		• Mirrors must be secure, unbroken, and provide clear visibility.
4.	Turn signals	Both right and left turn signals on the front and back of the vehicle must be operational.
5.	Brake lights	Both brake lights (1 on the right side and 1 on the left side of the vehicle) must be operational.
		Note : This does not include the center light (usually on the rear window).
6.	Tires	Each tire must have 1/32 inch tread depth in any 2 adjacent grooves.
		NOTE : The vehicle cannot have bald tires.

ltem	Requirement
7. Foot brake	There must be at least 1 inch of clearance between the pedal and the floor board when the pedal is depressed.
8. Horn	The horn must be:Designed for the vehicle and in proper working condition.
	• Loud enough to hear from a distance of at least 200 feet.
	NOTE: The horn cannot be a bicycle horn.
9. Emergency (Parking brake)	You must be able to locate and demonstrate how to use the parking brake (set and release).
	NOTE : Your driving test will be rescheduled as a mechanical failure if your parking brake does not work or if the brake does not set during the check.
10. Arm signals	You must correctly demonstrate arm signals for:
	• Left turn.
	• Right turn.
*11. Windshield wipers	• Slowing down or stopping. You must correctly locate the windshield wiper switch and/or control.
*12. Defroster	You must correctly locate the front windshield defroster button.

	ltem	Requirement							
*13.	Emergency flasher (Haz ard warning lights)	You must correctly locate the emergency flasher switch/button if the vehicle is equipped with emergency flashers.							
*14.	Headlights	You must correctly locate the headlight switch.							
15.	Passenger door	The front passenger side door must open and close properly.							
16.	Glove box	The glove box door must be securely closed.							
17.	Seat (Safety) belts	All vehicles designed with seat (safety) belts must have seat (safety) belts for both you and the examiner.							
		All seat (safety) belts must work properly and be used by the individual(s) in the car.							

*During inclement weather, the driver must demonstrate that items 11-14 work properly or the driving test will be rescheduled.

Driving Performance Evaluation (DPE) Scoring Criteria



The following scoring criteria is DMV's standard for evaluating an applicant's driving ability. All driving test examiners use these criteria to evaluate noncommercial Class C driving tests.

A "traffic check" is both the observation of vehicle and pedestrian traffic and the proper reaction to the traffic. It is observed by the examiner in every action.

Parking Lot Driving Scoring Criteria

This criteria is used to evaluate your ability while driving through a parking lot.

Traffic check

- You observe traffic (vehicles, bicyclists, and pedestrians):
 - Ahead and behind you.
 - To the left and right.
- You yield the right-of-way to vehicles, bicyclists, and pedestrians when necessary for safety.
- You turn your head, and look toward other drivers, bicyclists, and pedestrians when necessary.
- You react safely to traffic situations.

Speed

You drive through the parking lot at a safe speed and are in control of the vehicle.

Backing Scoring Criteria

Criteria used to evaluate your ability to pull to the curb, back the vehicle in a straight line without striking the curb, and merge back into traffic.



Action: Entering (E), Backing (B), and Exiting (X) Traffic check (E/B/X)

- You observe traffic while entering or exiting:
 - Ahead.
 - To the right before entering and the left before exiting, and behind you.
- You check appropriate blind spots.

NOTE: This is indicated by looking over your left or right shoulder, and using your mirrors as appropriate.

- You look:
 - Over your right shoulder while backing.
 - Toward other vehicles, bicyclists, and pedestrians when necessary.
- You react safely to traffic situations.

Signal (E/X)

- You activate the turn signal before pulling up to or away from the curb.
- You cancel the turn signal after pulling up to or away from the curb.



Speed (E/B/X)

- You pull up to and away from the curb at a safe speed.
- You back up at a smooth, safe speed. **Parallel (B)**
- You back in a straight line for 3 vehicle lengths while remaining within 3 feet of the curb.

NOTE: Turn your head over your right shoulder and look through the back windshield instead of relying on the rearview and/or side mirrors, or camera, which may not show all hazards. This will help you back up in a straight line. Technology, such as backup cameras and self-parking, **cannot** solely be used on a driving test.

• You perform the action with no more than 1 correction. **NOTE:** A "correction" is any movement forward.

Control (B)

You maintain control of the vehicle (includes proper gear and clutch use).

Intersections Scoring Criteria

This criteria is used to evaluate your performance at intersections.

Action: Through

Crossing through an intersection where there are traffic signals or a stop sign.

Traffic check

- You observe traffic (vehicles, bicyclists, and pedestrians):
 - Ahead.
 - To the right and left.
- You turn your head and look toward other vehicles, bicyclists, and pedestrians when necessary.
- You react safely to traffic situations.

Speed

• You maintain the appropriate speed.

Note: Driving 10 mph over or under the speed limit, unless justified by road/traffic/weather conditions, will be scored as a Critical Driving Error (see page 24).

Yield

You yield the right-of-way to vehicles, bicyclists, or pedestrians when necessary for safety.

Unnecessary stop

Do not stop unless required by another vehicle, bicyclist, or pedestrian, traffic sign, signal, or to avoid a collision.

Action: Stop

Traffic check

- You observe traffic (vehicles, bicyclists, and pedestrians):
 Ahead.
 - To the left, right, and behind you.

NOTE: This may be indicated by looking over your left or right shoulder, and using your mirrors as appropriate.

- You turn your head and look toward other vehicles, bicyclists, and pedestrians when necessary.
- You react safely to traffic situations.

Deceleration/braking

- You decelerate and brake smoothly.
- You depress the brake pedal without depressing the accelerator (gas pedal) at the same time.
- If driving a vehicle with a manual transmission, keep the gear engaged (no coasting).

Full stop

- You bring the vehicle to a full stop.
- You make no unnecessary movement forward or roll backward.

Gap or limit line

- You are able to see the rear wheels of the vehicle in front of you or have enough room to move around the vehicle without backing up.
- You stop about half a car length from the vehicle in front of you (no excessive gap).

Action: Stop

- You stop within 6 feet (about half-a-car length):
 - Behind the limit line.
 - From the corner of the intersection if there is no limit line.
- You stop without the front-most part of the vehicle:
 - In an intersection.
 - Over the limit line.
 - Beyond the sidewalk or stop sign.

Action: Start

Traffic check

- You observe traffic (vehicles, bicyclists, and pedestrians):
 - Ahead.
 - To the left and right.

NOTE: This may be indicated by head and/or eye movement to the left and right as appropriate.

- You look toward other vehicles, bicyclists, and pedestrians when necessary.
- You react safely to traffic situations.

Yield

- You yield the right-of-way to vehicles or pedestrians, when necessary for safety.
- You accept the right-of-way:
 - Without causing confusion or impeding traffic flow.
 - When it is safe to start.

Speed

You accelerate smoothly.

NOTE: If your vehicle has a manual transmission, you must use the proper gear and smoothly use the clutch.

Turns Scoring Criteria

Criteria used to evaluate your performance in turning.

Action: Approach Traffic check

- You observe traffic (vehicles, bicyclists, and pedestrians):
 - Ahead and behind you.
 - To the left or right.
- You check the blind spot by looking over your right or left shoulder before merging into the bike lane or center left turn lane.
- You look toward other vehicles, bicyclists, and pedestrians when necessary.
- You react safely to traffic situations.

Signal

You activate the turn signal at least 100 feet prior to the turn, but not so early that other drivers will not understand your intentions.

Deceleration/braking

- You decelerate and brake smoothly.
- Do not depress the brake and accelerator (gas pedal) at the same time.
- If the vehicle has a manual transmission, you change gears as necessary to:
 - Maintain power.
 - Keep the gear engaged.

Action: Approach Yield

You yield the right-of-way to vehicles, bicyclists, or pedestrians when necessary for safety.

Lane use

You use the designated lane for:

- Right turns
 - Enter the bike lane within 200 feet of the turn.
 - Enter the designated right turn lane at the opening.
 - Use right-most part of the right lane.

• Left turns

- Enter the two-way center left turn lane within 200 feet of the turn and do not violate the right-of-way of any vehicle already in the lane.
- Enter the designated left turn lane at the opening.
- Use the left-most part of the left lane.

• Staying within the lane markings. Unnecessary stop

Do not stop unless required by another vehicle, pedestrian, bicyclist, traffic sign, or signal.

Action: Stop

Traffic check

- You observe traffic (vehicles, bicyclists, and pedestrians):
 - Ahead and behind you.
 - To the left or right.
- You look toward other vehicles, bicyclists, and pedestrians when necessary.
- You react safely to traffic situations.

Full stop

- You bring the vehicle to a full stop.
- You make no unnecessary movement forward or roll backward.

Gap or limit line

- You are able to see the rear wheels of the vehicle in front of you, or have enough room to move around the vehicle without backing up.
- You stop about half a car length from the vehicle in front of you (no excessive gap).
- You stop within 6 feet (about half a car length):
 - Behind the limit line.
 - From the corner of the intersection if there is no limit line.
- You stop without the front-most part of the vehicle being:
 - In an intersection.
 - Over the limit line.
 - Beyond the sidewalk or stop sign.

Wheels straight (left turns only)

The wheels of the vehicle are straight ahead when stopped.

Action: Turn/Complete

Traffic check

- You observe traffic (vehicles, bicyclists, and pedestrians):
 - Ahead and behind you.
 - To the left or right.
- You look toward other vehicles, bicyclists, and pedestrians when necessary.
- You react safely to traffic situations.

Yield

- You yield the right-of-way to vehicles, bicyclists, or pedestrians when necessary for safety.
- You accept the right-of-way:
 - Without causing confusion or blocking traffic flow.
 - When it is safe to start.

Steering control

You turn the steering wheel:

- Smoothly and with full control of the vehicle.
- Only the necessary amount (do not over or under-steer).

Action: Turn/Complete Too wide/short

You keep the vehicle within the lane or lane markings.

Correct lane

- You end the turn in the proper lane.
- You begin and end in the appropriate lane for multiple turn lanes.

Speed

- You maintain a smooth, safe speed and keep control of the vehicle.
- If the vehicle has a manual transmission, you:
 - Change gears as necessary to maintain power.
 - Keep the gear engaged.
- You make no unnecessary stops during the turn.
- You accelerate smoothly after the turn.

Signal

You cancel the turn signal upon completion of the turn.

Business/Urban and Residential/Rural Scoring Criteria

This criteria is used to evaluate your performance while driving in a straight section of a business district or residential area.

Traffic check

- You observe traffic for hazards:
 - Ahead and behind you.
 - To the left or right.
- You react safely to traffic situations:
 - Traffic at entrances to roadways.
 - Pedestrians and bicyclists.
 - Vehicles parking.

Speed

• You maintain the appropriate speed limit without exceeding the speed limit.

NOTE: Driving 10 mph over or under the speed limit, unless justified by road/traffic/weather conditions, will cause a critical driving error (see page 24).

• You slow for hazards or obstructions.

Spacing

You maintain a safe distance to the front and sides of your vehicle.

Lane position

You keep the vehicle in the center of the lane.

Lane Change Scoring Criteria

Criteria used to evaluate your performance when making a lane change.

Traffic check

- You observe traffic (vehicles, bicyclists, and pedestrians). For a:
 - Left lane change, look to the left, behind you, and at your left side blind spot (check your left hand mirror and look over your left shoulder).
 - Right lane change, look to the right, behind you, and at your right side blind spot (check your right hand mirror and look over your right shoulder).
- You react safely to traffic situations.

Signal

- You activate the turn signal before making a lane change.
- You cancel the turn signal after the lane change.

Speed

You use an appropriate speed:

• To change lanes without exceeding the speed limit.

NOTE: It is not necessary to slow your speed before a lane change.

• For traffic conditions.

Spacing

- You wait for an adequate gap.
- You create a safe distance to the front, sides, and rear of vehicles moving in the same direction.
- You create a safe distance in front of your vehicle after a lane change.

Steering control

- You change lanes by turning the steering wheel smoothly.
- You move to the center of the lane.

Freeway (FWY) or Highway (HWY) Scoring Criteria

NOTE: Only appropriate for Supplemental Drive Tests.

Criteria used to evaluate your performance in FWY or HWY driving.

Action: Entering

On ramp or access way to a freeway or highway.

Traffic check

- You observe traffic (vehicles, bicyclists, and pedestrians):
 - Ahead.
 - To the left and right.

NOTE: Checking the blind spot may be required on a two-lane or freeway-metered ramp.

- You look toward other vehicles, bicyclists, and pedestrians when necessary.
- You react safely to traffic situations.

Signal

- You activate the turn signal at least 100 feet before entering traffic, but not so early that other drivers will not understand your intentions.
- You cancel the turn signal after entering.

Speed

You use an appropriate speed for traffic conditions.

Spacing

- You wait for an adequate gap.
- You leave a safe distance to the front and sides of moving vehicles.

Lane position

You keep the vehicle in the center of the lane.

Action: Merge Traffic check

- You observe traffic:
 - Ahead and to the left.
 - Check the left or right side blind spots by looking over your shoulder prior to merging onto a freeway or highway.
- You react safely to traffic situations.

Signal

- You activate the turn signal as soon as it's visible to freeway traffic.
- You cancel the turn signal after merging.

Speed

You merge at the appropriate speed for traffic conditions.

Spacing

- You merge as soon as there is an adequate gap.
- You leave a safe distance to the front, rear, and sides of moving vehicles.

Lane position

- You merge onto the freeway without going over the solid boundary lines.
- You move to the center of the driving lane.

Steering control

You merge by turning the steering wheel smoothly.

Action: Lane Use Traffic check

• You observe traffic ahead, to the left, right, and behind you.

NOTE: This is indicated by looking over your shoulder, and using your mirrors.

• You react safely to traffic situations.

Speed

- You maintain an appropriate speed without exceeding the posted speed limit.
- You use an appropriate speed for traffic conditions.

Spacing

You maintain a safe distance to the front, behind, and sides of other moving vehicles.

Lane position

You keep the vehicle in the center of the lane.

Action: Exiting Traffic check

- You observe traffic:
 - Ahead, to the left, right, and behind you.
 NOTE: This is indicated by looking over your shoulders and using your mirrors.
 - By checking the right blind spot.
- You react safely to traffic situations.

Signal

• You activate the turn signal before entering the exit lane.

• You cancel the turn signal after entering the exit lane.

Speed

- You decelerate in the exit lane.
- You exit at the appropriate speed for traffic conditions.

Spacing

- You wait for an adequate gap.
- You maintain a safe distance to the front, rear, and sides of other moving vehicles.

Lane position

- You exit the freeway without going over the solid boundary lines.
- You keep the vehicle in the center of the lane.

Steering control

You exit by turning the steering wheel smoothly.

Critical Driving Errors Scoring Criteria

This criteria is used to evaluate your action or inaction during a driving test that would result in a driving test failure.

Intervention by examiner

- Any action or inaction that requires physical or verbal intervention by the examiner.
 - An example of a verbal intervention could be the examiner loudly stating, "Stop."
- You make 3 attempts to back your vehicle.

Strikes object

- You make contact with another vehicle, object, bicyclist, pedestrian, or animal when it could have been safely avoided.
- You drive over the curb or on the sidewalk.

Disobeys traffic signs or signals

- You go through or exceed a brisk walking speed (4 mph) at a:
 - Stop sign.
 - Flashing red light.
 - Right turn on a red light.
- You do not stop and wait for a green signal at a:
 - Red light. (After making a full and complete stop at the red light, you may make a right turn when it is safe to do so and there are no posted signs prohibiting a right turn on a red light.)
 - Red freeway-metered ramp signal.
- You make an unnecessary stop at a green light or on a freeway-metered ramp.
- You disobey other traffic signs and/or lane marking, such as:
 - A lane drop (lane merges).
 - Painted arrows.
 - A painted island.
 - Curb markings (red, blue, etc.).
 - Traffic cones, etc.

Disobeys traffic safety personnel or safety vehicles

• You pass a school bus that has flashing red lights.

NOTE: Traffic in both directions must stop unless driving on a divided highway.

- You fail to pull over and stop for an emergency vehicle.
- You disobey any safety personnel, law enforcement officer, or firefighter.

Dangerous maneuvers

- You take any action or inaction that causes another driver or pedestrian to take evasive action.
- You do not move your head and eyes to make a traffic check at an uncontrolled intersection when a hazard is present.
- You make an unnecessary stop on a freeway-merge lane while entering or exiting.
- You block an intersection at anytime with your vehicle so that it impedes cross traffic.
- You do not look in your mirror(s) or over your shoulder to check the rear or blind spot when:
 - Making a lane change.
 - Merging.
 - Backing.
 - Making a right turn with a bike lane.
 - Pulling from the curb or side of the road.
- You stall the engine:
 - In an intersection.
 - 3 times due to poor clutch/gear use.

Speed

- You drive 10 mph:
 - Over the speed limit.
 - Under the speed limit when the road, pedestrians, bicyclists, and/or traffic conditions do not warrant a lower speed.
- You drive too:
 - Fast for safety.
 - Slow for safety.

Auxiliary equipment use

Failure to use the windshield wipers, defroster, or headlights when weather conditions or darkness requires the use of auxiliary equipment.

Lane violation

- You drive:
 - Further than 200 feet in a bike lane or two-way center left turn lane.
 - Straight ahead while in a designated turn lane.
 - Unnecessarily in the oncoming traffic lane at anytime.
- You turn from a designated forward (straight) lane.
- You make a turn from the wrong lane.

NOTE: For right turns with a bike lane, you must enter the bike lane only after ensuring there is no bicycle traffic and then make the turn.

DMV Driving Test

Driving tests are given to first time DL applicants and other individuals who require a driving test.

The purpose of a driving test is to determine whether you:

- Have the ability to operate a vehicle safely.
- Exhibit safe driving habits.
- Can apply your knowledge of traffic laws in real life situations.
- Can make up for any physical condition, such as loss of a limb, poor hearing, or a vision condition.



The driving test is divided into 2 parts: the **Pre-Drive Safety Check and Driving Performance Evaluation** (**DPE**). The Pre-Drive Safety Check determines whether your vehicle meets the DMV minimum safety standard and whether you are familiar with the operation of your

vehicle. The DPE portion is the behind-the-wheel driving test when you drive your car with a DMV examiner who evaluates your driving skills.

There are 2 other types of driving tests given by DMV. One is called a **Supplemental Driving Performance Evaluation (SDPE)**. This driving test has additional test elements and is given to applicants of any age who have a physical, mental, or vision condition, and/or a referral due to a lack of skill that may impact their ability to safely operate a vehicle. The other is called an **Area Driving Performance Evaluation (ADPE)**. This driving test limits you to drive in only specified areas. If you are successful with the ADPE, your DL will be restricted to only the specified areas where you were tested. Both the SDPE and ADPE are referral driving tests.

What is the difference between a DPE and a SDPE driving tests?

An SDPE includes all the features of the DPE driving tests (Pre-Drive Safety Check and the driving test). It may include additional testing elements designed to evaluate your cognitive function (memory, awareness, perception, etc.) and ability to operate a motor vehicle safely.

The additional test elements may include:

Multiple Directions—The examiner will give 2 or more instructions at one time to determine whether you can understand and properly follow both directions. For example, "At the next street, make a left turn, and then at the first intersection make another left turn."

Additional lane changes—The examiner will evaluate your performance when making lane changes.

Concentration—The examiner talks with you at certain times during the driving test. You must be able to respond briefly without making any driving errors.

Freeway or Highway Driving—The examiner will ask you to merge into freeway traffic and drive a short distance on the freeway. If you do not drive on freeways and have no intention of ever driving on freeways, inform the examiner. The freeway driving portion will not be part of the driving test. The examiner will add a restriction to your DL that prohibits driving on the freeway.

Destination trip—The examiner directs you to a location a few blocks from the DMV office. You must return to the DMV office using the same route without assistance or direction from the examiner. This is usually performed at the end of the driving test.

Additional Testing Elements for the SDPE

The following additional test element criteria is designed to evaluate your cognitive function (memory, awareness, perception, etc.) and ability to operate a motor vehicle safely.

Multiple directions scoring criteria

The examiner evaluates the following 2 items:

- Cues needed
 - You understand directions given without the need for additional explanation.
 - You may ask 1 confirming question (a question that can be answered with either a yes or no), but the examiner should not have to repeat the directions.
- Follows directions
 - You can properly follow directions and complete the action safely or acknowledge an error in following directions.

Destination trip scoring criteria

The examiner evaluates if you can complete the destination trip without any directional assistance from the examiner.

Additional lane changes

The lane change scoring criteria is used, but you will be asked to make more lane changes on the SDPE test than you did on the regular driving test.

Concentration

The examiner will talk with you at certain times during the driving test to ensure that you are able to respond briefly without making any driving errors.



What is an ADPE?

An **ADPE** is a driving test with a route that has been specifically predetermined by you and the driving test examiner.

If you are given an ADPE, the route is determined by the streets and roads you would take to get from your home to a specific location, such as to a grocery or department store, your doctor's office, bank, church, golf course, etc., and back home again.

When you pass the ADPE and meet all other requirements for licensing, you will be issued a restricted DL. This restriction limits your driving to specified destinations and does not allow any freeway driving.

RECOGNIZE IT REPORT IT STOP IT

Prevent workplace fraud

- Misuse of Information
- Accepting Bribes for Services
- Issuing Fraudulent Documents
- Stealing Property or Money
- Wrongfully Waiving Fees

INTEGRITY MATTERS

REPORT FRAUD: DMV Investigations, Internal Affairs Contact: Reportfraud@dmv.ca.gov

Northern California Southern California

(916) 657-7742 (626) 851-0173 or (951) 653-5357

Visit www.dmv.ca.gov to obtain INV 19 Fraud Complaint Form





California Department of Motor Vehicles

T.I.R.E. Tips



T. Tread

Place an upside down penny in the tire tread. If you can see all of Lincoln's head, the tread is too low and you need a new tire.



I. Inflate

Check air pressure once a month. Low tire pressure can cause tire wear and poor gas mileage.



R. Rotate

Rotate your tires every 3,000–5,000 miles to increase tire tread life.



E. Evaluate

Evaluate your tires everyday for any abnormal wear, cracks, and nails.

A few minutes a month is all it takes to be tire safe.



Connect with US





DATE DL NUMBER										-	Én.										EVALUATION RESULT	
					DR	IVIN	IG PI	ERF	ORM	ANC	CEE	EVALUATION SCOP	RE SH	IEET							Number of errors:	S
route Office I.D. NUMBER 1 2 Alt.		Io pass, you must have no more than 3 errors marked for the 39-14 under IPRE-DRIVE CHECKUS1, Passing Passing											2									
EXAMINER'S SIGNATURE/I.D. NUMBER																					Unsatisfactory	В
X		APPLICANT'S	SIGNA	TURE: X																		O
PRE-DRIVE CHECKLIST		PARKINGLOT DRIVING		INTER SECTIONS								TURNS		LE	FT			RIGHT	5	DRIVING IMPR	ROVEMENT CHECKLIST	ple
1. Driver window				Through	1	2	з	4	5 6	7	8	Approach	1	2	з	4		2 3			hind limit lines	
2. Windshield		Traffic check	0 0	Traffic check	0	0	0	0	0 0	0	0	Traffic check	0	0	0	01	0	0 0	0	Do not make unne	ecessary stops	
3. Rear view mirrors		Speed	0 0	Speed	0	0	0	0	0 0	0	0	Signal	0	0	0	0	0	0 0	0	Make smooth safe	e stops	
4. Turn signals F/B				Yield	0	0	0	0	0 0	0	0	Deceleration/Braking	g O	0	0	0 !	0	0 0	0		te space for vehicles in front of	
5. Brake lights		FWY OR HWY		Unnecessary stop	0	0	0	0	0 0	0	0	Yield	0	0	0	011	0	0 0	0			
6. Tires		Entering	1	AND THE PROPERTY OF THE PROPER	1	(110					Lane use	0	0	0	01	0	0 0	0			
7. Foot Brake		Traffic check	0	Stop	1	2	3	4	5 6	7	8	Unnecessary stop	0	0	0	0	0	0 0	0	Begin and end tur		
8. Horn		Signal	0	Traffic check	Ū.	0	0	0	0 1	0	0					1				Do not cut turns to Do not make turns		
9. Emergency/parking brake		Speed	0	Deceleration/Braking	0	0	0	0	5 b	0	0	Stop	1	2	з	4	1	2 3	4			
10. Arm signals		Spacing	0	Full Stop	n.	la	0	6	o 0	0	C	Traffic check	0	0	0	oi,		0 0	0			
11. Windshield wipers		Lane position	0	Gap or Limit line	0	0_	260	8			k	Full stop	0	0	0	0	0	0 0		Use two-way left t	urn lane appropriately	
12. Defroster		CARDING ADVIDUATE				1.04						Gap or Limit line	0	0	0	01	0	0 0		Do not drive too fa	ar to the right	
13. Emergency Flasher	Ē	Merge		Start	1	2	з	4	5 6	. 7	ε		ō	0	Ō					🔲 For right turns, us	e right most part of lane	
14. Headlights		Traffic check	0	Traffic check	0	0			0 0		0	1115				- i				LANE CHANGE		
15. Passenger door	1.000.00	Signal	0	Yield	0	Ō			o c			Jum/Complete	100	2	з	4	1	2 3	4	Use proper tum si	gnal prior to lane changes	
16. Glove box	Ē	Speed	0	Speed	0				0 0			A	0	0				0 0		Cancel turn signal		
17. Seat belts	П	Spacing	0	A			-	100		100		Yield A	0		1.00	01		0 0		Look over appropr	riate shoulder prior to lane	
		Lane position	Ő.	BUSINESSI URBAN ANI)	В	AC KIN	IG				Steering Contro	0	6	6	01		0 0		changes		
	_	Steering contro	1 0	RESIDENTIALIRUR AL								Too wide/short	n	0		0		0 0		L Make lane change	es at appropriate speed hion after completion of lane	
CRITICAL DRIVING ERROR		otooning oonido		в	R				E	в	X		C	0	0	01					mon alter compretion of fahe	
Intervention by examiner	0	Lane Use		Traffic check 0	0	T	raffic	chec					2		0	0		e e		and an and a second second		
man vender by examiner	Ŭ	Traffic check	0		Ō	. 855	ignal	01100	. c		ő		Ő			0 i		8 J	12	SPEED	and limit	
Strikes object/curb	0	Speed	0	Spacing 0	0		peed		0		107		U	0.4	may 1	1	***/	٦P		Drive at posted sp Do not drive too sl		
aumes objecticare	8	Spacing	0		0	1.000	aralle		C.	0			COM	IMEN	TS	~	1	4	a.	Do not drive too fa		
Disobeys traffic sign or signal	0	Lane Position	0	Larie position 0	0	0.02	ontro			0							and a state	1	7			
Disobeys traine sign or signal	0	Lane Position	0		-	Ť	0110-0		-	0	111							\sim		TRAFFIC CHECK	nd ahead when approaching	
Diaphra a statu pomonant pr		Exiting		LANE CHANGE	R															intersections	nu aneau when approaching	
Disobeys safety personnel or safety vehicles	0	Traffic check	0	Traffic check 0	R.															VEHICLE CONTROL		
server vernores	1000	Signal	0	Signal 0	0															Steer smoothly		
				Speed 0	0																hen pulling from curb or merging	
Dangerous maneuver	0	Speed		Spacing 0	0																space cushion between vehicles	
acces.		Spacing		Steering Control 0																Apply brakes smo		1
Speed	U	Lane position	0	scenny control 0	U															Do not under-stee	r	
	_	Steering contro	U	~																Do not over-steer		
Auxiliary equipment use	0																			YIELDING		
																				Accept right-of-wa	y without causing confusion	
Lane violation	0																				traffic when appropriate	

| DL32 (REV. 5/2016)

DATE	acor					EVALUATION RESULT
LNUMBER	A Public Service Agency					and the second s
ROUTE OFFICE I.D. NUMBER				RMANCE EVALUATION SCORE SI		Number of errors:
1 2	To pass, you must have	e no marks in the CRITICA	AL DRIVING ERROR section, an	nd no more than 20 errors marked for th	e Scoring Maneuvers.	□Passing
XAMINER'S SIGNATUREA.D. NUMBER	APPLICANT'S SIGNA	fure: X				Unsatisfactory
PRE-DRIVE CHECKLIST	PARKING LOT DRIVING	INTERSECTIONS		TURNS LEFT	DRIVING I	MPROVEMENT CHECKLIST s behind limit lines innecessary stops safe stops urate snace for vehicles in front of
1. Driver window		Through 1		Approach 1 2 3 4	1 2 3 4 🗌 Make full stop:	s behind limit lines
		Traffic check 0		Traffic check 0 0 0 0	00000 Donotmakeu	innecessary stops
3. Rearview mirrors	Speed 0 0	Speed 0		Signal 0 0 0 0	0 0 0 0 🗆 Make smooth	safe stops quate space for vehicles in front of
4. Tum signals F/B	FWY OR HWY	Yield 0		Deceleration/Braking 0 0 0 0		date opace for remotes in none of
5. Brake lights		Unnecessary stop 0		Yield 0 0 0 0		
6. Tires	Entering 1			Laneuse 0 0 0 0		turns in correct lane
7. Foot Brake		Stop 1		Unnecessary stop 0 0 0 0	0 0 0 0 Do not cut turr	
		Traffic check 0			Do not make t	
9. Emergency/parking brake [10. Arm signals		Deceleration/Braking 0 Full Stop 0		Stop 1 2 3 4 Traffic check 0 0 0 0	1 2 3 4 Keep in center	oflane
		Gap or Limit line		Traffic check 0000 Full stop 0000		ane before nght turn eft turn lane appropriately
12. Defroster	Lane position 0	Gap or Linne ine of	Contraction of the second s	GaporLimitline 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	circuminane appropriately
	Merge	Start 1		Wheels straight 0 0 0 0		use right most part of lane
		Traffic check			LANE CHANGE	
	Signal 0			Tum/Complete 1 2 3 4		n signal prior to lane changes
1 Slove hox	Speed 0			Traffic check 0 0 0 0	Cancel turn sig	gnal after lane change
	Spacing 0	- destaure			0 0 0 0 L Look over app	ropriate shoulder prior to lane
	Lane position 0	BUSINESS/URBAN AN	ID BACKING	Steering Control 0 0 0 0	changes	inges at appropriate speed
	Steering control 0	RESIDENTIAL/RURAL		Too wide/short 0 0 0 0		cushion after completion of lane
CRITICAL DRIVING ERROR		BR	EBX	Correct lane 0 0/0/0	0 0 0 0 change	sushibit alter completion of faile
Intervention by examiner D	Lane Use	Traffic check 0 0	Traffic check 0 0 0	Speed 0000	0 0 0 0 SPEED	· · · · · · · · · · · · · · · · · · ·
	Traffic check 0	Speed 0 0	Signal 0 0	Signal 0 0 0 0	0 0 0 0 Ca Drive at poste	d speed limit
Strikes object/curb C	Speed 0	Spacing 0 0	Speed 0 0 0	COMMENTS	Do not drive to	o slow for situations
	Spacing 0	Lane position 0 0	Parallel 0		🔵 🕖 🖉 🗆 Do not drive to	o fast for situations
Disobeys traffic sign or signal	Lane Position 0	Concentration 0 0	Control 0		TRAFFIC CHECK	
		LANE CHANGE LE	EFT RIGHT			s and ahead when approaching
Disobeys safety personnel or	Exiting	1	2 1 2		intersections	
safety vehicles	Traffic check 0				VEHICLE CONTR	
	Signal 0				Steer smoothly	
Dangerous maneuver C		Speed 0				Is when pulling from curb or merging uate space cushion between vehicles
		Spacing 0			Apply brakes	
Speed C	Lane position 0	Steering Control 0	0 0 0		Do not under-	
	Steering control 0	MULTIPLE DIRECTION	is		Do not over-st	eer
Auxiliary equipment use C	DESTINATION TRIP	1			YIELDING	
Lange delaktion		Cupe peoded	1 2 3 0 0 0			-way without causing confusion
Lane violation C	I Find destinction	Cues needed			Yield to oncorr	ing traffic when appropriate
	Find destination 0	Follow directions	0 0 0			sar madi 2

1 DL 32 S/A(REV. 4/2016)

